

OPEL

CAR TYPE	TYPE	SIZE	ET	H / PCD	CENTER	WHEEL CODE	KIT CODE	NOTE
ANTARA 09/2006→ (Type L-A) PCD 5 / 115 - Hub Ø70.1 – Nut M12 x 1. 5 19 HEX								
	369	8.0 x 18	42	5 / 115	C.R.	369 808 013	185 259 702	
	383	8.0 x 18	45	5 / 114.3	C.R.	383 808 009	175 259 702	
	501	8.0 x 18	45	5 / 114.3	C.R.	501 808 009	175 259 702	
	505	8.0 x 18	38	5 / 115	C.R.	505 808 012	185 259 702	
	369	8.5 x 19	40	5 / 115	C.R.	369 859 010	185 259 702	
	383	8.5 x 19	42	5 / 114.3	C.R.	383 859 010	175 259 702	
	501	8.5 x 19	42	5 / 114.3	C.R.	501 859 008	175 259 702	
	505	8.5 x 19	38	5 / 115	C.R.	505 859 014	185 259 702	
	369	8.5 x 20	35	5 / 114.3	C.R.	369 850 004	175 259 702	
	383	8.5 x 20	35	5 / 114.3	C.R.	383 850 005	175 259 702	
	501	8.5 x 20	40	5 / 114.3	C.R.	501 850 005	175 259 702	
	505	8.5 x 20	40	5 / 114.3	C.R.	505 859 005	175 259 702	
ASTRA 01/2010→ (Type PJ) PCD 5 / 115 - Hub Ø70.1 – Screw M12 x 1. 5 19 HEX								
Except version 5x105	369	8.0 x 18	42	5 / 115	C.R.	369 808 013	185 259 702	
	501*	8.0 x 18	35	5 / 114.3	C.R.	501 808 008	175 259 702	
	505*	8.0 x 18	38	5 / 115	C.R.	505 808 012	185 259 702	
	369*	8.5 x 19	40	5 / 115	C.R.	369 859 010	185 259 702	
	383*	8.5 x 19	32	5 / 114.3	C.R.	383 859 007	175 259 702	
	383*	8.5 x 19	42	5 / 114.3	C.R.	383 859 010	175 259 702	
	501*	8.5 x 19	42	5 / 114.3	C.R.	501 859 008	175 259 702	
	505*	8.5 x 19	38	5 / 115	C.R.	505 859 014	185 259 702	
	369*	8.5 x 20	35	5 / 114.3	C.R.	369 850 004	175 259 702	
	383*	8.5 x 20	35	5 / 114.3	C.R.	383 850 005	175 259 702	
	501*	8.5 x 20	40	5 / 114.3	C.R.	501 850 005	175 259 702	
	505*	8.5 x 20	40	5 / 114.3	C.R.	505 850 005	175 259 702	
ASTRA 01/2010→ (Type PJ) PCD 5 / 105 - Hub Ø56.5 – Screw M12 x 1. 5 19 HEX								
Except version 5x115	505	8.0 x 18	38	5 / 115	C.R.	505 808 011	185 259 566	
	505*	8.5 x 19	38	5 / 115	C.R.	505 859 015	185 259 566	
ASTRA 09/2003→01/2010 (Type A-H) PCD 5 / 110 - Hub Ø65 – Screw M12 x 1. 5 17 HEX								
	369	7.5 x 17	40	5 / 110	C.R.	369 757 008	055 257 651	
	369	8.0 x 18	35	5 / 110	C.R.	369 808 005	055 257 651	
	383	8.0 x 18	35	5 / 110	C.R.	383 808 006	025 257 651	
	501	8.0 x 18	35	5 / 110	C.R.	501 808 006	055 257 651	
	505	8.0 x 18	35	5 / 110	C.R.	505 808 006	055 257 651	
	369	8.5 x 19	33	5 / 110	C.R.	369 859 008	055 257 651	
	383	8.5 x 19	33	5 / 110	C.R.	383 859 008	025 257 651	
	501	8.5 x 19	33	5 / 110	C.R.	501 859 009	055 257 651	
	505	8.5 x 19	33	5 / 110	C.R.	505 859 009	055 257 651	
ASTRA GTC 03/2005→ (Type A-H) PCD 5 / 110 - Hub Ø65– Screw M12 x 1. 5 17 HEX								
	369	7.5 x 17	40	5 / 110	C.R.	369 757 008	055 257 651	
	369	8.0 x 18	35	5 / 110	C.R.	369 808 005	055 257 651	
	383	8.0 x 18	35	5 / 110	C.R.	383 808 006	025 257 651	
	501	8.0 x 18	35	5 / 110	C.R.	501 808 006	055 257 651	
	505	8.0 x 18	35	5 / 110	C.R.	505 808 006	055 257 651	
	369	8.5 x 19	33	5 / 110	C.R.	369 859 008	055 257 651	
	383	8.5 x 19	33	5 / 110	C.R.	383 859 008	025 257 651	
	501	8.5 x 19	33	5 / 110	C.R.	501 859 009	055 257 651	
	505	8.5 x 19	33	5 / 110	C.R.	505 859 009	055 257 651	

All wheels with center "C.R." must be used with the aluminium center ring which is included in the fitting kit. The fitting kit is for a set of 4 wheels. It contains 16/20 or 24 Screw or Nut, together with 4 aluminium center rings where required.

OPEL

CAR TYPE	TYPE	SIZE	ET	H / PCD	CENTER	WHEEL CODE	KIT CODE	NOTE
ASTRA OPC 03/2005 → (Type A-H) PCD 5 / 110 - Hub Ø65– Screw M12 x 1. 5 17 HEX								
	369	7.5 x 17	40	5 / 110	C.R.	369 757 008	055 257 651	
	369	8.0 x 18	35	5 / 110	C.R.	369 808 005	055 257 651	
	383	8.0 x 18	35	5 / 110	C.R.	383 808 006	025 257 651	
	501	8.0 x 18	35	5 / 110	C.R.	501 808 006	055 257 651	
	505	8.0 x 18	35	5 / 110	C.R.	505 808 006	055 257 651	
	369	8.5 x 19	33	5 / 110	C.R.	369 859 008	055 257 651	
	383	8.5 x 19	33	5 / 110	C.R.	383 859 008	025 257 651	
	501	8.5 x 19	33	5 / 110	C.R.	501 859 009	055 257 651	
	505	8.5 x 19	33	5 / 110	C.R.	505 859 009	055 257 651	
ASTRA TWINTOP 03/2006 → (Type A-HC) PCD 5 / 110 - Hub Ø65 – Screw M12 x 1. 5 17 HEX								
	369	7.5 x 17	40	5 / 110	C.R.	369 757 008	055 257 651	
	369	8.0 x 18	35	5 / 110	C.R.	369 808 005	055 257 651	
	383	8.0 x 18	35	5 / 110	C.R.	383 808 006	025 257 651	
	501	8.0 x 18	35	5 / 110	C.R.	501 808 006	055 257 651	
	505	8.0 x 18	35	5 / 110	C.R.	505 808 006	055 257 651	
	369	8.5 x 19	33	5 / 110	C.R.	369 859 008	055 257 651	
	383	8.5 x 19	33	5 / 110	C.R.	383 859 008	025 257 651	
	501	8.5 x 19	33	5 / 110	C.R.	501 859 009	055 257 651	
	505	8.5 x 19	33	5 / 110	C.R.	505 859 009	055 257 651	
CORSA 06/2006 → (Type CORSA S-D) PCD 5 / 110 - Hub Ø65 – Screw M12 x 1. 5 17 HEX								
	369	7.5 x 17	40	5 / 110	C.R.	369 757 008	055 257 651	
	369	8.0 x 18	35	5 / 110	C.R.	369 808 005	055 257 651	
	383	8.0 x 18	35	5 / 110	C.R.	383 808 006	025 257 651	
	501	8.0 x 18	35	5 / 110	C.R.	501 808 006	055 257 651	
	505	8.0 x 18	35	5 / 110	C.R.	505 808 006	055 257 651	
CORSA OPC 03/2007 → (Type CORSA S-D) PCD 5 / 110 - Hub Ø65 – Screw M12 x 1. 5 17 HEX								
	369	7.5 x 17	40	5 / 110	C.R.	369 757 008	055 257 651	
	369	8.0 x 18	35	5 / 110	C.R.	369 808 005	055 257 651	
	383	8.0 x 18	35	5 / 110	C.R.	383 808 006	025 257 651	
	501	8.0 x 18	35	5 / 110	C.R.	501 808 006	055 257 651	
	505	8.0 x 18	35	5 / 110	C.R.	505 808 006	055 257 651	
GT 03/2007 → (Type KR) PCD 5 / 110 - Hub Ø65 – Screw M12 x 1. 5 19 HEX								
	383	8.0 x 18	48	5 / 112	C.R.	383 808 003	175 259 651	
	383	8.5 x 19	48	5 / 112	C.R.	383 859 003	175 259 651	
	501	8.5 x 19	48	5 / 112	C.R.	501 859 003	175 259 651	
	501	8.5 x 19	48	5 / 112	C.R.	505 859 003	175 259 651	
	383	8.5 x 20	40	5 / 112	C.R.	383 850 002	175 259 651	
	501	8.5 x 20	40	5 / 112	C.R.	501 850 002	175 259 651	
	505	8.5 x 20	40	5 / 112	C.R.	505 850 002	175 259 651	
INSIGNA 11/2008 → (Type OG-A) PCD 5 / 120 - Hub Ø67 – Screw M14 x 1. 5 22 HEX								
* With center ring special	369	7.5 x 17	34	5 / 120	72.6	369 757 006	185 459 A67	
	369	8.0 x 18	35	5 / 120	72.6	369 808 003	185 459 A67	
	501*	8.0 x 18	30	5 / 120	74.1	501 808 004	185 459 000	
	505*	8.0 x 18	30	5 / 120	74.1	505 808 004	185 459 000	
	369	8.5 x 19	30	5 / 120	72.6	369 859 003	185 459 A67	
	501*	8.5 x 19	30	5 / 120	74.1	501 859 004	185 459 000	
	505*	8.5 x 19	30	5 / 120	74.1	505 859 004	185 459 000	
	369	8.5 x 20	30	5 / 120	72.6	369 850 011	185 459 A67	
	501*	8.5 x 20	30	5 / 120	74.1	501 850 003	185 459 000	
	505*	8.5 x 20	30	5 / 120	74.1	505 850 003	185 459 000	
MERIVA B 07/2010 → (Type S/D Monocab B) PCD 5 / 110 - Hub Ø65 – Screw M12 x 1. 5 17 HEX								
	369	7.5 x 17	40	5 / 110	C.R.	369 757 008	055 257 651	
	369	8.0 x 18	35	5 / 110	C.R.	369 808 005	055 257 651	
	383	8.0 x 18	35	5 / 110	C.R.	383 808 006	025 257 651	
	501	8.0 x 18	35	5 / 110	C.R.	501 808 006	055 257 651	
	505	8.0 x 18	35	5 / 110	C.R.	505 808 006	055 257 651	

All wheels with center "C.R." must be used with the aluminium center ring which is included in the fitting kit. The fitting kit is for a set of 4 wheels. It contains 16/20 or 24 Screw or Nut, together with 4 aluminium center rings where required.

OPEL

CAR TYPE	TYPE	SIZE	ET	H / PCD	CENTER	WHEEL CODE	KIT CODE	NOTE
MERIVA 05/2003→07/2010 (Type X01 Monocab) PCD 5 / 110 - Hub Ø65 – Screw M12 x 1. 5 17 HEX								
	369	7.5 x 17	40	5 / 110	C.R.	369 757 008	055 257 651	
	369	8.0 x 18	35	5 / 110	C.R.	369 808 005	055 257 651	
	383	8.0 x 18	35	5 / 110	C.R.	383 808 006	025 257 651	
	501	8.0 x 18	35	5 / 110	C.R.	501 808 006	055 257 651	
	505	8.0 x 18	35	5 / 110	C.R.	505 808 006	055 257 651	
MERIVA OPC 03/2006→07/2010 (Type X01 Monocab) PCD 5 / 110 - Hub Ø65 – Screw M12 x 1. 5 17 HEX								
	369	7.5 x 17	40	5 / 110	C.R.	369 757 008	055 257 651	
	369	8.0 x 18	35	5 / 110	C.R.	369 808 005	055 257 651	
	383	8.0 x 18	35	5 / 110	C.R.	383 808 006	025 257 651	
	501	8.0 x 18	35	5 / 110	C.R.	501 808 006	055 257 651	
	505	8.0 x 18	35	5 / 110	C.R.	505 808 006	055 257 651	
VECTRA 12/2001→09/2008 (Type Z-C) PCD 5 / 110 - Hub Ø65 – Screw M12 x 1. 5 17 HEX								
	369	7.5 x 17	40	5 / 110	C.R.	369 757 008	055 257 651	
	369	8.0 x 18	35	5 / 110	C.R.	369 808 005	055 257 651	
	383	8.0 x 18	35	5 / 110	C.R.	383 808 006	025 257 651	
	501	8.0 x 18	35	5 / 110	C.R.	501 808 006	055 257 651	
	505	8.0 x 18	35	5 / 110	C.R.	505 808 006	055 257 651	
	369	8.5 x 19	33	5 / 110	C.R.	369 859 008	055 257 651	
	383	8.5 x 19	33	5 / 110	C.R.	383 859 008	025 257 651	
	501	8.5 x 19	33	5 / 110	C.R.	501 859 009	055 257 651	
	505	8.5 x 19	33	5 / 110	C.R.	505 859 009	055 257 651	
ZAFIRA 12/2011→ (Type P-J/SW) PCD 5 / 115 - Hub Ø70.1 – Screw M12 x 1. 5 17 HEX								
	369	8.0 x 18	42	5 / 115	C.R.	369 808 013	185 259 702	
	501	8.0 x 18	35	5 / 114.3	C.R.	501 808 008	175 259 702	
	505	8.0 x 18	38	5 / 115	C.R.	505 808 012	185 259 702	
	369	8.5 x 19	40	5 / 115	C.R.	369 859 010	185 259 702	
	383	8.5 x 19	42	5 / 114.3	C.R.	383 859 010	175 259 702	
	501	8.5 x 19	42	5 / 114.3	C.R.	501 859 008	175 259 702	
	505	8.5 x 19	38	5 / 115	C.R.	505 859 014	185 259 702	
	369	8.5 x 20	35	5 / 114.3	C.R.	369 850 004	175 259 702	
	383	8.5 x 20	35	5 / 114.3	C.R.	383 850 005	175 259 702	
	501	8.5 x 20	40	5 / 114.3	C.R.	501 850 005	175 259 702	
	505	8.5 x 20	40	5 / 114.3	C.R.	505 850 005	175 259 702	
ZAFIRA 03/2005→11/2011 (Type A-H Monocab) PCD 5 / 110 - Hub Ø65 – Screw M12 x 1. 5 17 HEX								
	369	7.5 x 17	40	5 / 110	C.R.	369 757 008	055 257 651	
	369	8.0 x 18	35	5 / 110	C.R.	369 808 005	055 257 651	
	383	8.0 x 18	35	5 / 110	C.R.	383 808 006	025 257 651	
	501	8.0 x 18	35	5 / 110	C.R.	501 808 006	055 257 651	
	505	8.0 x 18	35	5 / 110	C.R.	505 808 006	055 257 651	
	369	8.5 x 19	33	5 / 110	C.R.	369 859 008	055 257 651	
	383	8.5 x 19	33	5 / 110	C.R.	383 859 008	025 257 651	
	501	8.5 x 19	33	5 / 110	C.R.	501 859 009	055 257 651	
	505	8.5 x 19	33	5 / 110	C.R.	505 859 009	055 257 651	
ZAFIRA OPC 03/2005→ (Type A-H Monocab) PCD 5 / 110 - Hub Ø65 – Screw M12 x 1. 5 17 HEX								
	369	8.0 x 18	35	5 / 110	C.R.	369 808 005	055 257 651	
	383	8.0 x 18	35	5 / 110	C.R.	383 808 006	025 257 651	
	501	8.0 x 18	35	5 / 110	C.R.	501 808 006	055 257 651	
	505	8.0 x 18	35	5 / 110	C.R.	505 808 006	055 257 651	
	369	8.5 x 19	33	5 / 110	C.R.	369 859 008	055 257 651	
	383	8.5 x 19	33	5 / 110	C.R.	383 859 008	025 257 651	
	501	8.5 x 19	33	5 / 110	C.R.	501 859 009	055 257 651	
	505	8.5 x 19	33	5 / 110	C.R.	505 859 009	055 257 651	

All wheels with center "C.R." must be used with the aluminium center ring which is included in the fitting kit. The fitting kit is for a set of 4 wheels. It contains 16/20 or 24 Screw or Nut, together with 4 aluminium center rings where required.